



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/531,258

09/22/2005

Mario Keller

KELL3007/JJC

4842

23364 7590 09/10/2008

BACON & THOMAS, PLLC

625 SLATERS LANE

FOURTH FLOOR

ALEXANDRIA, VA 22314-1176

EXAMINER

BATTULA, PRADEEP CHOUDARY

ART UNIT

PAPER NUMBER

3725

MAIL DATE

DELIVERY MODE

09/10/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/531,258	<b>Applicant(s)</b> KELLER, MARIO	
	<b>Examiner</b> PRADEEP C. BATTULA	<b>Art Unit</b> 3725	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 13 May 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claim 1, 2 – 5, 9, 11, 12, 14, 15, and 17 – 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Burchard.

In regards to Claims 1, 14, and 15, Burchard security element comprising a cover layer 4 having gaps 5 in the form of characters (letters) or patterns forming visually and/or machine readable first information (Column 5, Lines 9 – 15, 20 – 24; Figure 7, Items 4, 5), wherein a printed image 8 forming visually and/or machine readable second information is disposed in the gaps in register (Column 5, Lines 20 – 24; Figure 7, Item 8) and furthermore wherein the security element is a security thread (Column 4, Lines 26 – 29) and further wherein the content of the first and second information is different (Figure 7, "P" which is filled in is different from "L" that is filled in and the second information of the "L" is different in content from the first information "P").

In regards to Claim 2, Burchard further discloses wherein the cover layer is opaque at least in partial areas (Column 2, Lines 39 – 43; Column 4, Line 15 – 18).

In regards to Claim 4, Burchard further discloses wherein the cover layer is semitransparent at least in partial areas (Column 1, Lines 7 – 12).

In regards to Claim 5, Burchard further discloses the cover layer is metallic a metallic coating (Column 4, Lines 35 – 38). Although it is not disclosed that the metallic coating of aluminum, gold, copper, iron, nickel and an alloy containing one or more of said metals, the broad description of metallic encompasses such options.

In regards to Claim 9, Burchard further discloses wherein the printed image is finely structured and/or of high resolution (Figure 7, Item 8; The printed ink is very small inside the gap relative to the banknote it is on and therefore finely structured).

In regards to Claim 11, Burchard further discloses wherein the printed image is multicolored or formed of inks with different pigment content (Column 4, Lines 38 – 44)

In regards to Claim 12, Burchard further discloses wherein the printed image forms letters, numbers or geometrical figures (Column 5, Lines 20 – 24).

In regards to Claim 17, Burchard further discloses the security element is on a security paper (Column 2, Lines 33 – 42).

In regards to Claim 18, wherein the security element is present in the form of a thread or band (Column 4, Lines 26 – 29).

In regards to Claim 19, Burchard further discloses wherein the security element is embedded into the security paper as a windowed security thread (Column 4, Lines 26 – 29).

In regards to Claim 20, Burchard further discloses wherein the security element is disposed completely on the surface of the security paper (Column 4, Lines 29 – 34).

In regards to Claim 21, Burchard further discloses wherein the document is a document of value having the security element (Column 4, Lines 26 – 27).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Burchard in view of Schmitz et al. (Schmitz; U.S. 5,573,639).

In regards to Claim 3, as applied to Claim 1, Burchard does not disclose wherein the cover layer is screened at least in partial areas, said screen being selected from the group consisting of a dot screen, a line screen of and a screen of repeating similar screen elements.

Schmitz discloses a substrate 3 in a security element 2 having a cover layer 4 having a first information in a pattern and having a type of gap also in a pattern (Column 3, Lines 11 – 16, 24 – 26; Figure 1, Items 2, 3; Figure 2, Item 4). Schmitz further discloses machine readable or visual second information 5 with the first and second information being different (Column 3, Lines 26 – 30; Figure 2, Item 5). Schmitz further discloses wherein the cover layer is screened in at least partial areas by a group consisting of a dot screen, line screen, and a screen of repeating similar screen elements (Column 3, Lines 45 – 48). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide with the screening of Schmitz in order to provide shapes and information that is recognizable (Column 3, Lines 48 – 52).

Art Unit: 3725

3. Claims 6, 7, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Burchard in view of Heim (U.S. 2005/0151368 A1).

In regards to Claims 6, 7, and 27, Burchard does not disclose wherein the cover layer contains a dielectric layer structure that produces different color effects in reflected light upon a change of viewing angle and wherein the dielectric layer structure is opaque or semitransparent and wherein the security element contains a plastic layer with a surface relief in the form of a diffraction structure embossed thereinto.

Heim teaches of a security element having a cover layer D and A<sub>2</sub> wherein gaps 9 exist which forms characters wherein the cover layer has a dielectric layer (Paragraph 0064, Lines 1 – 6; [designates “D” as Dielectric]; Figure 8, Items D, A<sub>2</sub> 9) provided on a substrate that is provided with a relief structure in the form of a diffraction structure that is embossed thereinto (Paragraph 0025, Lines 1 – 6; Figure 8, Item S). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide the cover layer of Burchard with the cover layer of Heim and modify the substrate and cover layer with diffraction structures as taught by Heim in order to provide the security element of Burchard with a color changing capability (Paragraph 0064, last 5 lines) which provides a further security measure.

In regards to Claim 7, as applied to Claim 6, Burchard modified by Heim further discloses wherein the dielectric layer structure is opaque or semitransparent (Paragraph 0018, Lines 1 – 2; states that the materials are primarily transparent but do not have to be and therefore would be opaque or semi-transparent; Heim).

Art Unit: 3725

4. Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Burchard in view of Kaule et al. (U.S. 6,344,261)

In regards to Claims 10 and 11, as applied to Claim 1, Burchard does not disclose wherein the printed image contains an ink containing pigments selected from the group consisting of luminescent pigments, magnetic pigments, liquid crystal pigments and interference layer pigments.

Kaule et al. discloses of using luminescent substances in multicolor inks that are applied to a security thread (Column 4, Lines 65 – 67 → Column 5, Lines 1 – 6). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide the printed image 8 ink with luminescent substances in order to provide a security thread with an additional authentication feature.

5. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Burchard

In regards to Claim 22, Burchard does not disclose wherein the printed image disposed in the gaps repeats the motif of another printed image of the security paper, such as, for example, a national flag, a denomination, a portrait or an architectural motif. However Burchard does teach of providing a positive image, in a region different from that having the gaps/negative images, where the positive image is capable of being the same shapes as the negative images and being of the colors of a flag (Column 4, Lines 35 – 46; Figure 2). Therefore it would have been obvious to try, by a person having

Art Unit: 3725

ordinary skill in the art, to print the indicia in the gaps with the multicolor flag indicia in order to provide a greater security measure as well as an greater aesthetic quality.

6. Claims 1, 16, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heim in view of Burchard.

Heim discloses of a security element for a document of value (Paragraph 0047, Lines 1 – 2) having a cover layer D and A<sub>2</sub> wherein gaps 9 exist which forms characters and patterns [each character can be considered a different information] wherein the cover layer has a dielectric layer (Paragraph 0064, Lines 1 – 6; Paragraph 0063, Lines 1 – 3 [designates “D” as Dielectric]; Figure 8, Items D, A<sub>2</sub> 9) wherein the security element further discloses a plastic layer with a surface relief 8 in the form of a diffraction structure embossed thereinto (Paragraph 0025, Lines 1 – 3; Paragraphs 0057 – 0059; Figure 5, item 8) and exists separate from a security thread and can exists as a label (Paragraph 0047, Lines 1 – 5; Figure 5, Item 2; Paragraph 0042; Paragraph 0045; Paragraph 0064, Lines 12 – 17).

Heim does not disclose wherein a printed image forming visually and or machine readable second information is disposed in the gaps, in register, and further wherein the content of the first and second information is different.

Burchard teaches of a security element comprising a cover layer 4 having gaps 5 in the form of characters (letters) or patterns forming visually and/or machine readable first information (Column 5, Lines 9 – 15, 20 – 24; Figure 7, Items 4, 5), wherein a printed image 8 forming visually and/or machine readable second information is disposed in the gaps in register (Column 5, Lines 20 – 24; Figure 7, Item 8) and



Art Unit: 3725

furthermore wherein the security element is a security thread (Column 4, Lines 26 – 29) and further wherein the content of the first and second information is different (Figure 7, "P" which is filled in is different from "L" that is filled in and the second information of the "L" is different in content from the first information "P"). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide the information in the gaps of Heim in order to provide a higher resistance to forgery (Column 4, Lines 55 – 63).

7. Claims 24 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Burchard in view of Sakamoto et al. (Sakamoto; U.S. 6,352,804).

In regards to Claims 24 and 26, In regards to Claims 1, 14, and 15, Burchard security element comprising a cover layer 4 having gaps 5 in the form of characters (letters) or patterns forming visually and/or machine readable first information (Column 5, Lines 9 – 15, 20 – 24; Figure 7, Items 4, 5), wherein a printed image 8 forming visually and/or machine readable second information is disposed and printed in the gaps in register (Column 5, Lines 20 – 24; Figure 7, Item 8) and furthermore wherein the security element is a security thread (Column 4, Lines 26 – 29) and further wherein the content of the first and second information is different (Figure 7, "P" which is filled in is different from "L" that is filled in and the second information of the "L" is different in content from the first information "P").

Burchard does not disclose wherein the image in the gaps is printed by digital printing or wherein the printed image is produced in the gaps by a virtual printing method selected from the group consisting of digital printing such as ink jet, thermal

Art Unit: 3725

sublimation or thermal transfer, a temporary digital printing method such as an electrophotographic method, ionography or magnetography, in particular by a toner-based printing method such as laser printing, and a liquid-ink method such as Indigo.

Sakamoto et al. (Sakamoto; U.S. 6,352,804) teaches of providing a substrate 1 with a resin 2 which is hardened and has material removed forming gaps/image elements 4 wherein the gaps are then printed with an ink 5 by means on inkjet printing (Column 3, Lines 19 – 55; Figures 1A – 1E, Items 1, 2, 4, 5). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide the gaps of Burchard with inkjet printing because such a printing provides a high accuracy of printing and control when printing the pattern (Column 3, Lines 49 – 52) .

8. Claims 24 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Burchard in view of Sakamoto and Heim.

In regards to Claim 25, Burchard modified by Sakamoto does not disclose wherein the cover layer comprises a metal layer, and the metal layer is applied by vapor deposition or by electron-beam vaporization.

Heim teaches of a security element having a cover layer D and A<sub>2</sub> wherein gaps 9 exist which forms characters wherein the cover layer has a dielectric layer (Paragraph 0064, Lines 1 – 6; [designates “D” as Dielectric]; Figure 8, Items D, A<sub>2</sub> 9) provided on a substrate that is provided with a relief structure in the form of a diffraction structure that is embossed thereinto (Paragraph 0025, Lines 1 – 6; Figure 8, Item S) wherein the dielectric layer can be vapor deposited (Paragraph 0018, Lines 1 – 5). Therefore it

Art Unit: 3725

would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide the cover layer of Burchard with the cover layer of Heim and modify the substrate and cover layer with diffraction structures as taught by Heim in order to provide the security element of Burchard with a color changing capability (Paragraph 0064, last 5 lines) which provides a further security measure.

***Response to Arguments***

Applicant's arguments with respect to the pending claims have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PRADEEP C. BATTULA whose telephone number is (571)272-2142. The examiner can normally be reached on Mon. - Thurs. & alternating Fri. 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris H. Banks can be reached on 571-272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/P. C. B./  
Examiner, Art Unit 3725  
September 3, 2008

/Derris H Banks/  
Supervisory Patent Examiner, Art Unit 3725